

## TECHNICAL VOLUME

### LIST OF FIGURES

Figure 1.0-1: Responsive Lead Vendor. ....	2
Figure 1.0-2: Quality Service Provider. ....	3
Figure 1.0-3: Flexibility to Transition. ....	6
Figure 1.0-4: Moving to Performance-Based Contracts. ....	6
Figure 1.3-1: Converged Backbone Services. ....	10
Figure 1.3-2: AT&T’s Global Network Architecture [REDACTED] [REDACTED]. ....	13
Figure 1.3.1.b-1: Early Phases of the Sasser Worm [REDACTED]. .....	26
Figure 1.3.1.b-2: Tracking Activity of Major Network Applications [REDACTED] .....	28
Figure 1.3.1.b-3: AT&T Internet Protect [REDACTED] [REDACTED] .....	31
Figure 1.3.1.b-4: AT&T’s Integrated Managed Security Services. ....	33
Figure 1.3.1.e-1: [REDACTED] Security Engineering Tool. ....	42
Figure 1.3.2.a-1: AT&T-Provided Local Access for Government Agencies. ....	47
Figure 1.3.2.a-2: [REDACTED] Sample Architecture. ....	54
Figure 1.3.2.b-1: Domestic Private Peering. ....	57
Figure 1.3.2.c-1: Network Model. ....	64
Figure 1.3.2.c-2: AT&T Reliability Pyramid. ....	69
Figure 1.3.2.d-1: Service Assurance Architecture. ....	71
Figure 1.3.2.d-2: Service Verification Process. ....	74
Figure 1.3.2.d-3: Performance Management [REDACTED] [REDACTED] .....	74

Figure 1.3.2.d-4: Global IP Network Performance Website. .... 76

Figure 1.3.2.d-5: Performance Dashboard. .... 77

Figure 1.3.2.e-1: Approach for Providing [REDACTED]  
[REDACTED]  
[REDACTED] ..... 78

Figure 1.3.2.e-2: High-level View of CoS and QoS Management  
across Network..... 79

Figure 1.3.2.e-3: Differentiated Services [REDACTED]. .... 81

Figure 1.3.2.e-4: MPLS Header Encapsulation [REDACTED]  
[REDACTED] ..... 82

Figure 1.3.2.e-5: [REDACTED] Priority [REDACTED] ..... 82

Figure 1.3.3.a-1: The MSE/MSA architecture provides resilient  
access to AT&T networks and services. .... 87

Figure 1.3.3.a-2: The MSE Physical and Virtual Elements. .... 89

Figure 1.3.3.a-3: Traditional Topology for Separate Service Types..... 90

Figure 1.3.3.a-4: The MSA/MSE Combination Used to Take Advantage  
of Access Network Bandwidth Reduction and Resiliency. .... 90

Figure 1.3.3.a-5: Services are consolidated onto an IP Infrastructure. .... 91

Figure 1.3.3.b-1: The AT&T Global network Architecture, is..... 92

Figure 1.3.3.b-2: WDM Provides More Bandwidth..... 95

Figure 1.3.3.b-3 The Optical-Electrical Optical Switch..... 95

Figure 1.3.3.b-4: [REDACTED] Protection for Data Circuits. .... 96

Figure 1.3.3.b-5: [REDACTED] with [REDACTED] ..... 96

Figure 1.3.3.b-6: Redundant Links Provide Reliability. .... 100

Figure 1.3.3.b-7: Built-in Management and Security..... 103

Figure 1.3.3.c-1: Next Generation Networks..... 110

Figure 1.3.3.c-2: Continued Evolution from the Inside Out. .... 111

Figure 1.3.3.c-3: MSE Configuration with IP Transport Services..... 112

Figure 1.3.3.c-4: [REDACTED] Telephone Systems..... 112

Figure 1.3.3.c-5: Addition and Convergence [REDACTED] [REDACTED] [REDACTED] ..... 113

Figure 1.3.3.d-1: [REDACTED] for [REDACTED] and [REDACTED] ..... 115

Figure 1.3.3.d-2: Approach for Operations System Enhancements..... 117

Figure 1.3.3.d-3: Approach for Security System Enhancements. .... 119

Figure 1.3.3.d-4: AT&T One Process [REDACTED] ..... 121

Figure 1.3.3.e-1: SoIP Service Integration in SDP..... 123

Figure 1.3.3.e-2: AAN Packet-based Routing..... 125

Figure 1.3.3.e-3: Network Representation of the SoIP Architecture. .... 126

Figure 1.3.3.e-4: CoS is maintained end-to-end. .... 127

Figure 1.3.3.e-5: Differentiated Services Code Point (DSCP) Bits..... 128

Figure 1.3.3.e-6: MPLS Header Encapsulation with Experimental (EXP) Bits Highlighted. .... 129

Figure 1.3.3.e-7: MPLS Packet Priority Routing. .... 129

Figure 1.3.3.f-1: AT&T’s VoIP to PSTN interconnect..... 132

Figure 1.3.3.f-2: [REDACTED] interconnect carriers at the IP to IP level. .... 135

Figure 1.3.3.g-1: AT&T Lead in Transition to IPv6..... 138

Figure 1.3.3.g-2: The AT&T MPLS core network [REDACTED] .... 139

Figure 1.3.3.g-3: Initial IPv6 tunnel access is analogous to the dialup IPv4 access of the early 1990s. .... 140

Figure 1.3.4.5-1: Global Customer Care Help Desks..... 154

Figure 1.3.4.a-1: Basic GSM Components. .... 162

Figure 1.3.4.b-1: Global Infrastructure Security Requirements  
for International Carriers. .... 167

Figure 1.3.4.c-1: AT&T Global IP Network Peering Summary. .... 173

Figure 1.3.4.c-2: Private and Public Peering. .... 175

Figure 1.3.4.c-3: AT&T Global IP Network-Autonomous  
System Structure Today. .... 177

Figure 1.3.5.a-1: Voice over IP Advantages. .... 190

Figure 1.3.5.d-1: AT&T's 508 Specialty Team Members. .... 199

Figure 1.3.5.d-2: AT&T's All-Inclusive Section 508  
Compliance Support. .... 200

Figure 1.3.6.1-1: Generic AT&T Synchronization Architecture. .... 210

Figure 1.3.6.1-2: AT&T Core Synchronization Network. .... 211

Figure 1.3.6.1-3: AT&T Office Synchronization Architecture ..... 212

Figure 1.3.6.2-1: Traditional Networking Places Complexity  
in Access and at Agency. .... 216

Figure 1.3.6.2-2: The re-engineered the networking model. .... 217

Figure 1.3.6.2-3: Optical Electrical Optical Switch Provides  
Redundancy at Core Optical Network Level. .... 218

Figure 1.3.6.2-4: ██████████ Networks Co-Exist. .... 219

Figure 1.3.6.2-5: Virtual Concatenation (VC) provides better  
use of bandwidth on Ethernet over SONET Applications..... 220

Figure 1.3.6.2-6: Virtual Concatenation (VC) Provides Better Use of  
Bandwidth for Transport SONET Applications. .... 220

Figure 1.3.6.2-7: MSE/MSA Architecture Provides Resilient  
Access to AT&T Networks and Services. .... 221

Figure 1.3.6.2-8: MSE Contains Both Physical and Virtual Elements..... 223

Figure 1.3.6.2-9: SoIP Service Integration in SDP..... 224

Figure 1.3.6.2-10: SoLP Service Network Components, [REDACTED]  
[REDACTED] ..... 225

Figure 1.3.6.2-11: Common Control Plane Optimizes Routing. .... 228

Figure 1.3.6.3-1: Network Based VPN Service: In the NB-IPVPN, two or more  
SDP are tied together ..... 228b

Figure 1.3.6.3-2: Service Assurance Architecture..... 228g

Figure 1.4-1: Integrated Transport, IP, and Optical Solutions ..... 231

Figure 1.4.1.1-1: Voice Services..... 234

Figure 1.4.1.1-2: AT&T Network Assets and Performance  
Characteristics ..... 236

Figure 1.4.1.3-1: Network Disaster Recovery Site in Jersey City, NJ,  
September 2001. .... 249

Figure 1.4.1.4-1: [REDACTED] Capacity ..... 251

Figure 1.4.2.1-1: Functional Architecture..... 256

Figure 1.4.2.4-1: Spare Switch Capacity. .... 269

Figure 1.4.3.6-2: Call Detail Report. .... 300

Figure 1.4.3.6-4: [REDACTED] Call [REDACTED] .....306c

Figure 1.4.4.1-1: AT&T's Approach to Service Delivery..... 309

Figure 1.4.5.1-1: AT&T's Global Approach to Service Delivery ..... 333

Figure 1.4.6.1-1: [REDACTED] Platform..... 360

Figure 1.4.6.1-2: AT&T IPS Service..... 363

Figure 1.4.6.2-1: Network Reach Comparison..... 371

Figure 1.4.6.2-2: IP Network Latency Comparison. .... 372

Figure 1.4.6.2-3: IP Network Health Web Page – Packet Loss (DDR) ..... 375

Figure 1.4.6.2-4: IP Network Health Web Page – Delay ..... 375

Figure 1.4.6.3-1: Peering. .... 380

Figure 1.4.6.8-1: IPS with Managed Router ..... 389

[REDACTED]

[REDACTED]



Figure 1.4.7.1-1: Global Network for CDNS..... 391

Figure 1.4.7.2-1: AT&T BusinessDirect. .... 400

Figure 1.4.7.3-1: CDNS Infrastructure. .... 403

Figure 1.4.7.3-2: Failover Feature. .... 404

Figure 1.4.7.3-3: Intelligent Site Management-Capacity on  
Demand/Redirection and Distribution Feature..... 405

Figure 1.4.7.3-4: IP Activity Reporting Tool. .... 406

Figure 1.4.7.3-5: Bandwidth Usage Report..... 407

Figure 1.4.7.3-6: Response Code Count Report..... 407

Figure 1.4.8.1-1: AT&T Private Line Services Architecture..... 414

Figure 1.4.8.1-2: AT&T International Footprint..... 417

Figure 1.4.8.2-1: GNOC consoles, workstation, and wall displays..... 424

Figure 1.4.8.3-1: Private Line Service with Fully Managed End-to-End  
Connectivity to Agency SDP..... 428

Figure 1.4.8.3-2: Private Line Service with Agency-managed  
Dedicated Access to SDP..... 428

Figure 1.4.8.4-1: [REDACTED] for [REDACTED] ..... 434

Figure 1.4.8.4-2: [REDACTED] ..... 435

Figure 1.4.9.1-1: AT&T SONET Services Layer. .... 440

Figure 1.4.9.1-2: CONUS SONET and OCONUS SDH  
 Network Coverage. .... 443

Figure 1.4.9.1-3: [REDACTED]  
 [REDACTED] ..... 444

Figure 1.4.9.1-4: [REDACTED] in [REDACTED] ..... 445

Figure 1.4.9.2-1: [REDACTED] and [REDACTED]  
 [REDACTED] to [REDACTED] and [REDACTED] the [REDACTED]  
 [REDACTED] ..... 453

Figure 1.4.9.4-1: [REDACTED] and [REDACTED] to  
 [REDACTED] for [REDACTED] ..... 465

Figure 1.4.10.1-1: AT&T WDM Services Layer..... 469

Figure 1.4.10.1-2: AT&T Baseline Hubbed Ring [REDACTED] . 473

Figure 1.4.10.2-1: The [REDACTED] . ..... 480

Figure 1.4.10.3-1: AT&T [REDACTED] . ..... 482

Figure 1.4.10.3-2: AT&T Ultra-Longhaul Network Segment. .... 482

Figure 1.4.10.3-3: AT&T Metro Protected WDM Ring..... 488

Figure 1.4.10.3-4: Architecture of [REDACTED] . ..... 490

Figure 1.4.10.4-1: [REDACTED] and [REDACTED] to [REDACTED] . ..... 493

Figure 1.4.11.1-1: Combined Services. .... 499

Figure 1.4.11.1-2: Local Service on a National Scale. .... 500

Figure 1.4.11.1-3: Customer Satisfaction Index for Local  
 Telephone Service..... 502

Figure 1.4.11.4-1: Spare Switch Capacity. .... 512

Figure 1.4.12.1-1: [REDACTED] IP [REDACTED] . ..... 518

Figure 1.4.12.1-2: Approach to Service Delivery. .... 519

Figure 1.4.12.2-1: Network Reach Comparison..... 527

Figure 1.4.12.2-2: IP Network Latency Comparison. .... 528

Figure 1.4.12.2-3: Management Network [REDACTED] ..... 530

Figure 1.4.13.1-1: [REDACTED] IP [REDACTED] ..... 545

Figure 1.4.13.1-2: MPLS as Convergence Platform. .... 546

Figure 1.4.13.1-3: NBIP-VPNS Architecture. .... 549

Figure 1.4.13.2-1: Network Reach Comparison..... 557

Figure 1.4.13.2-2: IP Network Latency Comparison. .... 557

Figure 1.4.13.2-3: Management Network and EMS Data Collectors. .... 559

Figure 1.4.13.9.1.3.1-1: [REDACTED] .....574i

Figure 1.4.13.9.4.1-1: [REDACTED] .....574s

Figure 1.4.13.10-1: Agency EMNS Fixed Site VPN Services Feature. .... 574p

Figure 1.4.13.11-1: Agency EMNS Extranet Connectivity Services. .... 574r

Figure 1.4.13.12-1: Node Configuration. ....574x

Figure 1.4.13.12-2: SIG Functions.....574ii

Figure 1.4.14.1-1: AT&T’s VoIP Network Approach Interconnects  
PBX Systems and PSTN. .... 576

Figure 1.4.14.2-1: AT&T Network Outperforms Typical  
Networks for VoIP..... 583

Figure 1.4.14.2-2: Management Network and EMS Data Collectors. .... 585

Figure 1.4.14.2-3: Call Quality. .... 588

Figure 1.4.14.3-1: VoIP Network for PBX Interconnect..... 592

Figure 1.4.14.6-1: Differentiated Services [REDACTED] ..... 598

Figure 1.4.14.6-2: VoIP Packets [REDACTED]  
[REDACTED] ..... 599

Figure 1.4.14.6-3: Network Core [REDACTED] ..... 604

Figure 1.4.14.6-4: DoS Attacks are Thwarted by MPLS Separation of  
Networks..... 606

Figure 1.4.14.6-5: VoIP Offers Like-for-Like Wiretap Resistance. .... 608

Figure 1.4.15.1-1: AT&T VoIP Product Access..... 611

Figure 1.4.15.2-1: AT&T Network [REDACTED]  
[REDACTED]..... 618

Figure 1.4.15.2-2: Management Network [REDACTED]..... 620

Figure 1.4.15.2-3: Call [REDACTED]..... 622

Figure 1.4.15.3-1: Systems Supporting AT&T’s VoIP Network. .... 624

Figure 1.4.15.6-1: Typical Dual Link and Router Option for  
Access and Redundancy ..... 633

Figure 1.4.15.6-2: IP Telephone Service from IP Extranets..... 634

Figure 1.4.15.6-3: Differentiated Services [REDACTED] ..... 636

Figure 1.4.15.6-4: VoIP Packets [REDACTED]  
[REDACTED]..... 637

Figure 1.4.15.6-5: AT&T Security Based [REDACTED]  
..... 640

Figure 1.4.15.6-6: Network Separation Security Defense..... 642

Figure 1.4.15.6-7: LAN Switch Configuration Protects VoIP Privacy. .... 644

Figure 1.4.16.1-1: [REDACTED]  
[REDACTED]..... 647

Figure 1.4.16.2-1: AT&T VoIP High-Quality Performance. .... 653

Figure 1.4.16.2-2: Management Network [REDACTED]..... 654

Figure 1.4.16.2-3: Call [REDACTED]..... 657

Figure 1.4.16.3-1: [REDACTED] and [REDACTED]..... 658

Figure 1.4.16.3-2: [REDACTED] Operating Areas. .... 661

Figure 1.4.16.6-1: VoIP Packets [REDACTED]..... 667

Figure 1.4.16.6-2: Gateways Provide Access to Other Networks. .... 668

Figure 1.4.16.6-3: The AT&T BusinessDirect [REDACTED] ..... 670

Figure 1.4.16.6-4: [REDACTED] for [REDACTED] ..... 672

Figure 1.4.16.6-5: Invisibility to DoS Attacks..... 674

Figure 1.4.16.6-6: Like-for-Like Wiretap Resistance..... 676

Figure 1.4.16.8-1: CIPS w/Managed Router Private VPN provides  
Agency backbone networks..... 677a

Figure 1.4.16.8-2: CPE Redundancy..... 677d

Figure 1.4.16.8-3: Backbone Node Redundancy..... 677e

Figure 1.4.16.8-4: Access Router Redundancy ..... 677f

Figure 1.4.16.8-5: Automatic Load Balancing..... 677f

Figure 1.4.17.c-1: L2VPNS..... 681

Figure 1.4.17.c-2: Virtual Private LAN Service..... 682

Figure 1.4.17.4-1: L2VPNS Architecture..... 698

Figure 1.4.18.c-1: Dark Fiber Service. .... 715

Figure 1.4.18.1-1: Attenuation Test Set Up .....724j

Figure 1.4.18.1-2: OTDR Test Set Up: [REDACTED]  
[REDACTED] .....724k

Figure 1.4.18.1-3: PMD Test Set Up.....724l

Figure 1.4.18.1-4: Chromatic Dispersion Test Set Up. ....724l

Figure 1.4.19.c-1: AT&T WDM Services Layer..... 728

Figure 1.4.19.c-2: AT&T International Footprint..... 729

Figure 1.4.19.c-3: AT&T Baseline Hubbed Ring [REDACTED] ..... 731

Figure 1.4.19.c-4: AT&T Optical Network capabilities..... 739

Figure 1.4.19.c-5: AT&T Optical Network Provisioning..... 739

Figure 1.4.19.e-1: Architecture of Optical Control Plane..... 743

Figure 1.4.19.g-1: The [REDACTED] ..... 746

Figure 1.4.20.c-1: Representative E-Line and E-LAN Implementation  
Architecture. .... 764

Figure 1.4.20.c-2: E-Line Implemented as a Virtual Private  
Wire Service (VPWS). .... 765

Figure 1.4.20.c-3: E-LAN Implemented as Virtual Private  
LAN Service (VPLS). .... 765

Figure 1.4.20.1.12-1: Ethernet Services Service Assurance Architecture. 774d

Figure 1.4.20.1.12-2: Active Measurement Servers..... 774f

Figure 1.4.20.1.12.3-1: Data Path Connectivity between Customer  
Edge Routers..... 774h

Figure 1.4.20.1.12.7-1: Proactive Measures Against Denial of Service. ....774k

Figure 1.4.20.1.12.9-1: EthS Management/Maintenance Architecture .... 774m

Figure 1.4.20.1.14-1: EthS Architecture..... 774o

Figure 1.5.1.1-1: Continuum of Hosting and Management Services..... 778

Figure 1.5.1.1-2: DHS Architecture..... 779

Figure 1.5.1.3-1: ■ Architecture..... 788

Figure 1.5.1.3-2: Global IDC Locations..... 791

Figure 1.5.1.3-3: GIDC Power Architecture. .... 792

Figure 1.5.1.3-4: Air Flow and Cooling. .... 793

Figure 1.5.1.3-5: Smoke Detection and Fire Suppression. .... 794

Figure 1.5.1.4-1: AT&T Application Performance Management..... 802

Figure 1.5.1.4-2: AT&T Application Performance Reporting..... 803

Figure 1.5.1.4-3: AT&T Enterprise Messaging Service..... 806

Figure 1.5.1.4-4: ERP Cross-Functional Business Processes..... 808

Figure 1.5.2.1-1: CHS Architecture..... 812

Figure 1.5.2.3-1: ■ Architecture..... 820

Figure 1.5.2.3-2: AT&T Hosting Network Infrastructure..... 823

Figure 1.5.2.3-3: GIDC Power Architecture. .... 824

Figure 1.5.2.3-4: Air Flow and Cooling. .... 825

Figure 1.5.2.3-5: Smoke Detection and Fire Suppression. .... 826

Figure 1.5.3.1-1: VTS Overview..... 835

Figure 1.5.3.2-1: VTS Central Reservation and Reporting System..... 842

Figure 1.5.3.3-1: Reservation-Based Conferences..... 848

Figure 1.5.3.3-2: Video On-Demand Conferences..... 849

Figure 1.5.3.3-3: Conference Viewing Options. .... 850

Figure 1.5.3.4-1: VTS Bridging and Gateway Capabilities..... 854

Figure 1.5.3.4-2: [REDACTED] with [REDACTED]. .... 856

Figure 1.5.3.4-3: [REDACTED] to [REDACTED]. .... 857

Figure 1.5.4.1-1: Audio Conference Bridge Architecture. .... 861

Figure 1.5.4.1-2: Audio Conferencing. .... 862

Figure 1.5.4.3-1: Conference Monitor [REDACTED]. .... 872

Figure 1.5.4.3-2: Internet Reservation System. .... 873

Figure 1.5.5.1-1: Web Conferencing Fundamentals. .... 878

Figure 1.5.5.3-1: Synchronized Streaming and Media Files. .... 888

Figure 1.5.5.4-1: Customized GSA Welcome Screen..... 892

Figure 1.5.5.4-2: [REDACTED] Tab. .... 894

Figure 1.5.6.1-1: AT&T Comprehensive Network Management Process. .. 896

Figure 1.5.6.2-1: AT&T Service Level Reporting. .... 903

Figure 1.5.6.3-1: Comprehensive Managed Network Solution. .... 906

Figure 1.5.6.5-1: Enhanced Managed Network Service Example.....914c

Figure 1.5.7.1-1: Contact Center Project Lifecycle. .... 916

Figure 1.5.7.1-2: Multimedia Customer Contact Centers..... 917

Figure 1.5.7.3-1: ARM Architecture and Key Components..... 926

Figure 1.5.7.3-2: VoiceTone’s Service Creation Environment. .... 927

Figure 1.5.7.3-3: Call Center Evolution Convergence..... 928

Figure 1.5.7.4-1: Network Call Queue. [REDACTED]..... 932

Figure 1.5.7.4-2: ARM’s Web Contact Service (WCS)..... 953

Figure 1.5.8.1-1 – Service Delivery CSDDES Planning and Design. .... 965

Figure 1.5.8.4-1: ██████ Network Environment. .... 981

Figure 1.5.9.1-1: SS Architecture..... 1002

Figure 1.5.9.3-1: Direct Area Storage Device. .... 1013

Figure 1.5.9.3-2: Tape Backup and Restore Services. .... 1013

Figure 1.5.9.3-3: Storage Plus Service. .... 1014

Figure 1.5.9.3-4: StorageConnect Service..... 1015

Figure 1.5.9.3-5: Ultravailable Storage. .... 1016

Figure 1.5.9.3-6: AT&T’s Portfolio of Storage Solutions. .... 1017

Figure 1.5.10.1-1: Empowering Teleworkers. .... 1023

Figure 1.5.10.2-1: IP Network Latency Comparison. A..... 1031

Figure 1.5.10.4-1: Teleworker Call Logs. .... 1043

Figure 1.5.10.4-2: AT&T BusinessDirect portal..... 1044

Figure 1.5.12-1: The UMS Technical Architecture. .... 1050

Figure 1.5.12.2-1: ██████ Supporting VoIP and PSTN  
Telephony..... 1052

Figure 1.5.12.4-1: Typical VoIP access call flow for voice  
message generation. .... 1054

Figure 1.5.12.5-1: Messaging Front-End/Back-End Architecture..... 1055

Figure 1.5.12.a-1: ██████ Web Messaging ██████. .... 1058

Figure 1.5.12.a-2: Speech ██████ Commands. .... 1059

Figure 1.5.12.c-1: Service ██████. .... 1062

Figure 1.5.12.i-1: ██████  
..... 1065a

Figure 1.5.12.6-1: Unified Messaging Architecture. .... 1066

Figure 1.5.12.6-2: ██████  
██████. .... 1067

Figure 1.5.13-1: Enterprise Instant Messaging Platform..... 1069b

Figure 1.5.13.2-1: Enterprise Presence Integration. .... 1069d

Figure 1.5.13.2-1: [REDACTED] Conference Room. .... 1069e

Figure 1.5.13.3-1: [REDACTED] and Broadcasts..... 1069f

Figure 1.5.13.4-1: Message Exchange [REDACTED]..... 1069f

Figure 1.5.13.d-1: [REDACTED] Load balanced solution.....1069l

Figure 1.6-1: AT&T Integrated Security Solution. .... 1072

Figure 1.6.1.1-1: Multi-Layer Protection..... 1077

Figure 1.6.2.1-1: AT&T Network and Premises-based Managed Firewall Services..... 1103

Figure 1.6.2.3-1: Graphical Representation of the Network-based Firewall Service. .... 1117

Figure 1.6.2.3-2: Graphical Representation of the Premises-based Firewall Service. .... 1118

Figure 1.6.2.5-1: Enhanced Managed Firewall Service ..... 1121a

Figure 1.6.3.1-1. AT&T Managed Intrusion Detection Service Security Solution..... 1123

Figure 1.6.3.5-1: EMNS IDPS Service..... 1138a

Figure 1.6.4.1-1: VSS Architecture Using [REDACTED] Solution..... 1141

Figure 1.6.4.3-1: VSS Security Solution Back-end Architecture. .... 1152

Figure 1.6.4.3-2: VSS Security Solution Architecture for External Scans. .... 1154

Figure 1.6.5.1-1: AT&T Robust Anti-virus Process and Platform..... 1163

Figure 1.6.5.3-1: AVMS Desktop and Server Security Solution. In ..... 1173

Figure 1.6.5.5-1. EMNS AVMS Service: ..... 1176a

Figure 1.6.6.1-1: [REDACTED] Components:..... 1180

Figure 1.6.6.3-1: [REDACTED] Components ..... 1188

Figure 1.6.6.3-2: [REDACTED] Interface. .... 1189

Figure 1.6.6.3-3: [REDACTED] Early Detection Capabilities..... 1190

Figure 1.6.6.3-4: Internet Protect. .... 1191

Figure 1.6.6.3-5: INRS Malicious [REDACTED] ..... 1193

Figure 1.6.6.3-6: [REDACTED] Operations Center. .... 1194

Figure 1.6.7.1-1: AT&T Managed Subscription Token  
Service Architecture. .... 1200

Figure 1.6.7.1-2: AT&T ACES Functional Flow..... 1202

Figure 1.6.7.3-1 The [REDACTED] ..... 1212

Figure 1.6.8.1-1 S MEMS Architecture. .... 1220

Figure 1.6.8.3-1: Secure Email Features. .... 1229

Figure 1.6.8.3-2: S MEMS Spam Filtering. .... 1230

Figure 1.6.8.3-3: S MEMS Virus Filtering. .... 1231

Figure 1.6.8.3-4: S MEMS Content Filtering ..... 1232

Figure 1.7.1.1-3 & 4: Adequate Spectrum. .... 1240

Figure 1.7.1.1-1: Network [REDACTED] ..... 1241

Figure 1.7.1.1-2: Nationwide Coverage. .... 1242

Figure 1.7.1.1-5: Increasing Data Speeds. .... 1243

Figure 1.7.1.1-6: Overall Network Architecture ..... 1248

Figure 1.7.1.1-7: Cell Network [REDACTED] ..... 1255

Figure 1.7.1.2-1: Service [REDACTED] ..... 1257

Figure 1.7.1.2-2: [REDACTED] for [REDACTED] ..... 1258

Figure 1.7.1.2-3: Wireless Network Status Report..... 1259

Figure 1.7.1.3-1: Dual Core Network. .... 1261

Figure 1.7.1.3-2: Push-to-Talk [REDACTED] ..... 1264

Figure 1.7.1.3-3: Push-to-Talk [REDACTED] ..... 1265

Figure 1.7.1.3-4: Enterprise Paging. .... 1266

Figure 1.7.1.3-5: Blackberry Enterprise Service Architecture. .... 1266a

Figure 1.7.1.3-6: AT&T's GPRS Service Area. ....1266c

Figure 1.7.1.4-1 RF: Optimization Process..... 1270

Figure 1.7.1.4-2 RF: Optimization Process..... 1271

Figure 1.7.1.4-3: Cell-on-Wheels..... 1273

Figure 1.7.1.4-4: Fraud Detection Report. .... 1276

Figure 1.7.1.4-5: Message Filtering. .... 1278

Figure 1.7.1.4-6: The IMS [REDACTED]. .... 1286

Figure 1.7.1.4.I-1: Migration of RF Network..... 1288

Figure 1.7.2.1-1: MWLAN Network Architecture..... 1290

Figure 1.7.2.1-2: Software Client Identity Management..... 1291

Figure 1.7.2.1-3: Geographical [REDACTED]. .... 1297

Figure 1.7.2.1-4: Network [REDACTED]. .... 1298

Figure 1.7.2.1-5: Support for Convergence [REDACTED]. .... 1300

Figure 1.7.2.2-1: [REDACTED] for [REDACTED]..... 1302

Figure 1.7.2.2-2: [REDACTED] Reporting..... 1302

Figure 1.7.2.2-3: Real-Time Monitoring and Reporting..... 1304

Figure 1.7.5.c-1: LMRS Basic Network Components..... 1317

Figure 1.7.5.c-2: LMRS Field Radios..... 1322

Figure 1.7.5.k-1: Project 25 Systems Worldwide. .... 1328

Figure 1.7.5.b-1: Systems Planning and Requirements  
    Engineering Work Products..... 1328a

Figure 1.7.5.b-2: Systems Design Phase Work Products. ....1328c

Figure 1.7.6.c-1: Technical Description Summary. .... 1331

Figure 1.7.6.c-2: Single Point Ordering..... 1333

Figure 1.7.6.c-3: Iridium Coverage. .... 1335

Figure 1.7.6.c-4: Iridium's Motorola 9500 Handset. .... 1335

Figure 1.7.6.c-5: Inmarsat Coverage. .... 1336

Figure 1.7.6.c-6: Inmarsat’s ..... 1336

Figure 1.7.6.c-7: Thuraya Coverage..... 1337

Figure 1.7.6.c-8: Thuraya’s Hughes 7101 Dual-Mode Satellite Phone. .... 1337

Figure 1.7.6.c-9: Globalstar Coverage..... 1338

Figure 1.7.6.c-10: Globalstar’s Qualcomm GSP-1600 Tri-Mode  
Satellite Phone. .... 1338

Figure 1.7.6.g-1: Network [REDACTED]..... 1343

Figure 1.7.7.c-1: Range of Services Provided by FSS..... 1346

Figure 1.7.7.c-2: AT&T FSS Team. .... 1348

Figure 1.7.7.c-3: FSS for Remote Communications. .... 1349

Figure 1.7.7.c-4: FSS Continuity of Operations. .... 1349

Figure 1.7.7.c-5: FSS Broadcast Video. .... 1350

Figure 1.7.7.c-6: Permanent Terminals for FSS. .... 1350

Figure 1.7.7.c-7: Transportable Terminals for FSS..... 1351

Figure 1.7.7.c-8: [REDACTED] Signal Contours..... 1352

Figure 1.7.7.e-1: [REDACTED] Contours. .... 1354

Figure 1.7.7.e-2: [REDACTED] Meter [REDACTED]..... 1355

Figure 1.7.7.e-3: [REDACTED] Learning..... 1356

Figure 1.7.7.g-1: [REDACTED] for [REDACTED]..... 1359

Figures 1.7.8-1; 1.7.8-2; and 1.7.8-3: [REDACTED] and  
[REDACTED]..... 1360b

Figure 1.9.4-1: T3 PRI Capability..... 1474f

Figure 1.9.5-1: [REDACTED].....1474i