



2.3.2 **Network Management [L.34.2.3.2]**

GSA and Agencies are provided with the ability to monitor the management, performance, and maintenance of Networx service offerings. In this module we demonstrate how GSA customers' service requirements are effectively managed across the five areas of the ISO model - fault, configuration, accounting, security, and performance.

L.34.2.3.2 Network Management; The offeror shall describe how it proposes to meet Government requirements specified in Section C.3.3.1, Network Management. The offeror shall describe its management, technical, and operational capabilities for each of the following network management functional areas: (a) Configuration, Management, (b) Accounting Management, (c) Fault Management, (d) Network Services Monitoring and Management. For all services proposed, the offeror shall describe its network management organization, resources, strategies, practices, policies, processes, procedures, tools, systems, reports and any other relevant capabilities to provide the Government with a high degree of confidence that the offeror has sound, effective, and adequate capabilities that meet Government network management requirements. For the network management areas above, the offeror shall describe its network management capabilities to provide the Government a high degree of confidence that the offeror will be a strong partner that understands the challenges that the Government faces in: (a) Managing the range of Networx services, (b) Meeting the needs of a large, heterogeneous, and geographically distributed user community, (c) Ensuring the performance and quality of Networx services, (d) Improving the quality of Networx services to its customers, (e) Minimizing the impact of Networx services changes to Government operations, (f) Planning for future growth, (g) Meeting changes in Government needs, (h) Ensuring real-time access to information regarding the health and performance of, mission-critical services. For Network Services Monitoring and Management, the offeror shall describe the solution's architecture, features, and functions that will be provided to the Government. This includes security features, support to the Government to install, configure, administer, and operate the solution, and the Networx services for which the solution is provided. If the Offeror's approach to meeting Network Management requirements is different for optional services than for mandatory services, the offeror shall describe the differences in a separate optional services sub-section within the Network Management section of the Offeror's response.

The AT&T Networx solution is compliant in all areas required by GSA - fault, configuration, accounting, security, and performance. The solution includes a number of powerful platforms, described in **Table 2.3.2-1**.

The components of the system architecture, their functions, and benefits to GSA Customers are represented in **Figure 2.3.2-1**. **Figure 2.3.2-1**

for each element of the GSA Customers' service, permitting fast, accurate root cause identification, avoiding downtime and reducing mean time to repair.

	<u> </u>	
AT&T	Highly	Single point of entry for GSA Customers, provides access to all network
BusinessDirect [®]	available	management applications; performance reports, monitor SLA's, view
	secure portal	tickets, order services, track orders, service and configuration maps.







Table 2.3.2-1 Network Management System Architecture Components. These components give GSA Customers high service availability, high service performance, a common tool set, and easy to access web portal.

Figure 2.3.2-1: Network Management System Architecture. AT&T's network management solution offers GSA Customers a complete solution.

These architectural components provide GSA Customers with robust network management capabilities. Network management functions are accessed





through a secure web site that provides visibility to track service quality,
including
AT&T's network management solution is built upon reliability and performance.
To achieve this, the physical and logical layers of the network are managed in
reactive, proactive, and predictive manners.
Figure 2.3.2-2.





Figure 2.3.2-2: Network Management: Reliability + Performance. AT&T's network management solution offers GSA customers outstanding reliability and performance by reactive, proactive, and predictive management of the physical and logical layers of the network.





Global Network Operations Center (GNOC) and Global Technology Centers of Excellence (CoE)

The GNOC (pictured in

Figure 2.3.2-3) is responsible for the overall network management of the Global AT&T Switched and Data Networks. The AT&T GNOC in Bedminster, New Jersey, in partnership with technology specific Centers of Excellence, form the largest, most sophisticated command-andcontrol and fault management centers of its kind in the world.



Figure 2.3.2-3: AT&T Global Network Operations Center (GNOC). The GNOC is responsible for managing AT&T's Global Network.

AT&T's GNOC, manages one of the largest and most complex networks in the world with the following features and traffic volumes:

- More than 2.75 billion circuit miles of transmission facilities
- 135 local circuit switches with real-time networking
- More than 300 million voice calls per day
- More than 15 million video customers
- Connects virtually every country and territory around the world
- More than 1,000 nodes supporting MPLS-based services
- Carries 4.4 petabytes of IP traffic per business day
- 24X7 centers monitoring over 125,000 routers and 750,000 LAN ports
- Provides managed hosting services from 26 Internet Data Centers (IDCs) worldwide

Assisting the GNOC are the Global Technology Centers of Excellence (CoE). The CoEs provide 24x7 surveillance of network elements supplied to the





Government; providing progress and event notification to the Customer Support Office (CSO) and Contractor's Program Organization (CPO). The CoEs perform asset management, including the availability of spare equipment, and perform logical configuration management. Network upgrades and change management are directly managed by the CoEs (this includes maintenance, capacity management, and activities of the on-site workforce). The GNOC and the CoEs' structure and functions are summarized in **Figure 2.3.2-4**. The people, processes, and network management tools of AT&T's solution enable the Government's Networx services to routinely maintain very high availability and performance. As proof of this for the **entire** year of 2004, the AT&T Global network had a reliability performance rating of between 99.991% and 99.998%.

Figure 2.3.2-5.

AT&T Maintenance Operations Work Center Structure and Functions




Figure 2.3.2-4 Network Maintenance Workcenter Structure and Functions. GSA Customers leverage the people, process, and tools of one of the most reliable networks in the world.

NETWORX ENTERPRISE






**************************************	**************************************				
*******	M O R N I N G		******	*****	*****
NETWORK PERF	ORMANCE FOR: TU	JESDAY, SEPTEME	ER 6, 200	5	and the transfer
AT&T VOICE SERVICES (PLATFORM VIEW)	Attempts	Defects	Daily DPM	YTD DPM	200 Goa
U.S. Domestic TDM - Metro TDM - Inter-City TDM International TDM Call Vantage BVoIP GVoIP	405,048,028 56,821,576 348,226,452 20,387,816 1,166,440 609,795 TBD	2,030 838 1,192 0 317 TBD TBD	5.0 14.7 3.4 0.0 271.8 TBD TBD	1,525.4	65-10 N/ N/ 215-32 TB 115-17 TB
AT&T TRANSPORT SERVICES	Custom Svc DS1 Minutes Available	DS1 Minutes	Daily DPM	YTD DPM	200 Goa
Inter-City Metro International	1,076,525,160 166,252,320 22,262,100	4,714 2,815 0	4.4 16.9 0.0	13.5 49.1 94.4	TB TB 75-10
AT&T Data Services	PVC Minutes Available	PVC Minutes of Outage	Daily DPM	YTD DPM	200 Goa
Frame Relay	733,713,120	0	0.0	10.3	25-3
ATM	185,525,280	0	0.0	9.7	10-1
AGN	37,209,600	0	0.0	42.4	70-10
IPFR	123,534,720	0	0.0	35.2	40-5
GFN	17,830,080	О	0.0	51.3	75-11
Metro Layer 2 Packet	10,321,920	0	0.0	9.3	30-4
	Port Minutes Available	Port Minutes of Outage	Daily DPM	YTD DPM	200 Goa
CBB Network IP Access (July)	76,839,840	0	0.0	72.3 33.7	40-9 N/
AT&T INTERNET PROTOCOL SERVICES - CBB TEST PACKETS	UPS Packets Sent	UPS Packets Lost	Daily DPM	YTD DPM	200 Goa
CBB Network	3,967,306	39	9.8	46.9	N/
AT&T WEB HOSTING SERVICES		Customer Minutes of Outage	Daily DPM	YTD DPM	200 GOA
Hosting Monitored Hosting Managed Totals	1,869,120 502,560 2,371,680	0 0	0 0 0	42 58 45	2
AT&T REPORTABLE INCIDENTS			Daily Total	YTD Total	200 Goa
FCC Incidents State PUC Incidents			0	61 16	N/ N/

Figure 2.3.2-5 GNOC Morning Report. The AT&T GNOC in Bedminster, New Jersey, in partnership with technology specific Centers of Excellence, form the largest, most sophisticated command-and-control and fault management centers of its kind in the world.





Managed and Outsourced Services







Networx Security Management [L.34.2.3.2, C.3.3.1.2.1 Step 1]

The contractor shall provide network security and fraud prevention, detection, and reporting as specified in Section C.3.3.2, Security Management.

AT&T will provide network security and fraud prevention, detection, and reporting as specified in Section C.3.3.2, Security Management.





The GSA and Agencies have the commitment of AT&T to protect all information and resources from unauthorized access, disclosure, corruption, or disruption of service. This security policy is applicable to network elements, systems, applications and workstations as part of our service offerings.




Labs are continually updating these capabilities as demanded to prevent security threats and vulnerabilities.








SOLICITATION TQC-JTB-05-0002









AT&T Networx Team member Cingular also provides fraud management capabilities for GSA customers. **Table 2.3.2-4** summarizes these capabilities.




Table 2.3.2-4: Cingular Fraud Management. AT&T's wireless partner has extensive fraud management capabilities to safeguard Networx wireless customers.

AT&T provides network security and fraud prevention, detection, and reporting as specified in the Networx Security plan and in Section 2.3.3 (C.3.3.2) of the proposal, Security Management.


Configuration Management [L.34.2.3.2, C.3.3.1.2.2 Step 2]

Exact details of change control methodology vary, depending upon the customer service or infrastructure requirement (voice, private line, frame relay, ATM, IP, etc.). However, AT&T follows certain general principles irrespective of service. From an equipment perspective,





as small as a new card for a router, or an upgrade to router operating system software. Each network service such as, transport, private line, ATM, frame relay or IP, uses one or more test labs for pre-deployment and integration testing. Equipment tests answer the questions in **Table 2.3.2-5**:



Once the equipment has passed these tests satisfactorily, it is certified and may be installed. Should the device fail to become certified, feedback is provided to the vendor detailing the test results. AT&T participates in joint planning meetings with the manufacturers and vendors to resolve the equipment faults that were revealed. These meetings assist the suppliers in enhancing the reliability and manageability of their products. To maintain the highest level of service reliability to the Government, devices that have not passed these rigorous tests are not installed in the network.

Prior to scheduling an installation of certified equipment in the network, a deployment plan is developed. When the deployment of equipment or enhancements to the network could affect the quality or availability of the





Government's service during the installation, the affected Agencies are
notified as well as the GSA at least 10 business days in advance of the work.
For large scale changes 20 business days notice is provided. All upgrades
are performed during an appropriate maintenance window as detailed in
Table 2.3.2-6. As required, the GSA and Agencies are also notified in the
same manner of network configuration upgrades that do not present a risk of
service interruption.
The contractor shall perform configuration changes in a standard maintenance window as stated in the contract to minimize service impact to the Government. [C.3.3.1.2.2]
AT&T will perform configuration changes in a standard maintenance window
as stated in the contract to minimize service impact to the Government. GSA
and the Agencies receive global network





ensuring high network performance and consequently better, more reliable service to the Government (**Table 2.3.2-6**).

COUNTRY	SCHEDULED MAINTENANCE TIMES





Country	SCHEDULED MAINTENANCE TIMES

Table 2.3.2-6: Scheduled Maintenance. Scheduled maintenance is planned worldwide.





The scheduled maintenance windows are typically used to maintain many backbone sites. The existence of a scheduled maintenance time does not mean maintenance actually occurs during the period. The PMO and affected Agencies are notified at least 10 business days in advance prior to a scheduled network configuration change. In the event an emergency configuration change is required and if due to the nature of the emergency 10 days notice is not practical, AT&T then opens a trouble ticket. In addition the PMO and affected Agencies are immediately notified. In the event of a large scale configuration change the PMO and affected Agencies receive 20 business days notice. All configuration notifications are through e-mail, facsimile, or other agreed to method.

facsimile, or other agreed to method.

This database shall enable the Government to assess how network changes may impact services to Agencies. [C.3.3.1.2.2] This database shall enable the Government to perform impact analyses on services during outages. [C.3.3.1.2.2] AT&T will provide a database that will enable the Government to assess how network changes may impact services to Agencies and to perform impact analyses on services during outrages. Figure 2.3.2-7 is the AT&T BusinessDirect Map application, showing a representation of a customer network.








Figure 2.3.2-7: AT&T BusinessDirect Map Networx Customer Interface. Using the Networx customers, the Government can monitor trouble as well as manage network services through AT&T BusinessDirect Map.

Accounting Management [L.34.2.3.2, C.3.3.1.2.3 Step 3]

The contractor's network accounting management system shall provide for the generation and distribution of usage data to support the contractor's detection, resolution, and reporting of network fraud, and abuse as well as optimization activity defined in Section C.3.4, Customer Service.

AT&T's accounting management system will provide for the generation and distribution of usage data to support AT&T's detection, resolution, and reporting of network fraud/abuse, as well as the optimization activity defined





in Section C.3.4, Customer Service. AT&T's accounting systems capture data
for all network service components employed to provide GSA Customers'
service to the service delivery point, including facilities that may be leased
from 3 rd party providers.
defined in section C.3.4
Customer Service. The GSA and subscribing Agencies have access to
management tools for these services to query and
AT&T BusinessDirect®:
Traffic and usage reports as described in sections C.3.3.1.4.1.3 and
C.3.3.1.4.1.4.
For the mandatory Networx service types,
utilized for the collection and distribution of usage data and they support the
detection, resolution, and reporting of network fraud and abuse.
AT&T BusinessDirect









AT&T
BusinessDirect
GSA customers using Land Mobile Radio (LMR)
service
This is an
effective fraud deterrent. Further,
The traffic activity levels can be defined
to monitor key LMR parameters used to
detect network fraud. Any activity that reaches defined thresholds is reported
as the suspect event occurs, or on a periodic basis depending on the users requirement. The activity data can be retained and analyzed for significant
changes using performance tools.
changes doing performance tools.





AT&T Unified Messaging Service (UMS) generates call detail records (CDR)
on all service components
Customer usage reports
can be requested from the UMS Manager. These are reports are available to
users
Outbound calling (the initiation of calls from a subscriber's mailbox)
A subscriber is authenticated in UMS
will be investigated by the GNOC.





Mobile Satellite Services (MSS)

(by the GNOC) if fraudulent use is suspected.

The contractor shall provide the Government with ad hoc traffic and usage reports to support the Government's telecommunications planning and avoidance of fraud, waste, and abuse. [C.3.3.1.2.3]





The contractor shall provide at a minimum Voice Traffic and Data Traffic reports. See Sections C.3.3.1.4.1.3. Voice

Traffic Report and C.3.3.1.4.1.4, Data Traffic Report for report requirements. [C.3.3.1.2.3]
AT&T will provide the Government with ad hoc traffic and usage reports to
support the Government's telecommunications planning and avoidance of
fraud, waste, and abuse. The Networx management system provides GSA and
Agencies with real-time traffic alerts, traffic reports, usage reports, and fraud
reports for many service types. Traffic alerts take the
Reports can
be run online, on-demand, and then can be sent to e-mail addresses. Some
reports may be scheduled for daily, weekly, or monthly presentation. AT&T will
provide the Voice Traffic Reports in full compliance with Table C.3.3.1.4.1.3.3.1
Media/Transport/Format – Voice Traffic Report Sent to GSA. AT&T will provide
the Data Traffic Reports in full compliance with Table C.3.3.1.4.1.4.3.1
Media/Transport/Format – Data Traffic Report Sent to GSA.
AT&T BusinessDirect users are provided with a large array of traffic
reporting capabilities across their services such as the following:
 Daily summaries of inbound and outbound domestic long distance usage.
 Management monitoring reports for toll, PBX, and calling card fraud
Monthly, weekly, daily and daily exception and recommendation reports
 Traffic statistics on peg counts, busy hour, overflow, trunks busy, blocking,
average call length,





The GSA and subscribing Agencies have access to management tools for Networx services to query and download accounting information through the secure Networx

AT&T

BusinessDirect. Ad hoc traffic and usage reports to support Government telecommunications planning and avoidance of fraud, waste, and abuse are accessible through BusinessDirect.

Fault Management [L.34.2.3.2, C.3.3.1.2.4 Step 4]

The contractor shall implement a process for Government-driven escalations as well as contractor-driven escalations to succeeding levels of management when a fault is not resolved within the required performance target or when the Government has indicated dissatisfaction with the way the contractor has handled the issue. [C.3.3.1.2.4]

AT&T will implement a process for Government-driven escalations as well as AT&T-driven escalations to succeeding levels of management when a fault is not resolved with the required performance target or when the Government has indicated dissatisfaction with the way AT&T has handled the issue. AT&T runs one of the world's largest and fastest growing IP networks with a Common Backbone network of nearly 500 high-speed routers. To keep the IP network up and running with the reliability, speed, and performance that is demanded by GSA Customers, we face three major challenges, namely:






To achieve these goals we need superior systems and tools that monitor the
status of the IP Network at all times, alert when problems arise with traffic
flows, delays or latency, diagnose the root causes of the problems, and
model the effects of proposed solutions. In addition we need the capability for
auto-provisioning new network elements and services, auto-configuring the
network to meet ever changing traffic patterns, fault management techniques
that rapidly restore the network on failures, a level of control of all network
elements that enables us to offer Service Level Agreements (SLAs) to GSA
Customers, and a unified database architecture that supports the network
management and operation goals outlined above. The desired end state is
the economic improvement of network performance and reliability.
Figure 2.3.2-1
Figure 2.3.2-8.











area of the Networx services website. Only authorized personnel may view
these notifications. Agencies may only view notifications about their impacted
service. Any fault that affects more than one GSA Customer's service
notifies the PMO (as well as the affected Agencies
and the GSA). The PMO has
The PMO and
customer Agencies have access to





Figure 2.3.2-9 Network Layer 1, 2, and 3 cross domain fault correlation architecture. GSA Customers obtain powerful fault correlation capabilities that dramatically reduce repair time and improve service availability.

Service affecting faults and the fault information communicated are defined in **Table 2.3.2-7**. Service outage resolution time and percentages for dispatched or non-dispatched personnel are defined in **Table 2.3.2-8**.

SERVICE AFFECTING FAULT TYPES	INFORMATION PROVIDED FOR EACH SERVICE AFFECTING FAULT TYPE (AS APPLICABLE)
 Outage of physical or logical facilities, including subcontractor Outage causing Agency service degradation or service isolation Failures of major access facilities All hazardous conditions that threaten any physical or logical facilities Proactive or reactive controls by AT&T Outage of critical components in the network 	 Trouble ticket number, date, time, initiator, location Fault description and definition All Agencies affected by the fault All Networx services affected Physical location of the fault Detailed information about the nature of the fault (AT&T, subcontractor, Agency equipment, etc.) Estimated mean time to repair, expected time to repair, estimated service restoration time





SOLICITATION TQC-JTB-05-0002

SERVICE AFFECTING FAULT TYPES	Information Provided For Each Service Affecting Fault Type (as applicable)	
management system architecture Outage of any OC-x circuit, whether diverse or not Mutually agreed to events	TSP or non-TSP service Service level (critical or routine) Availability for detailed comments	

Table 2.3.2-7 Service Affecting Faults and Fault Information. GSA Customers receive extensive notification of service affecting events.

SERVICE OUTAGE RESOLUTION TIMES AND PERCENTAGES					
Outage Classification	Personnel	Time Hours	%		
Outages measured at the Agency level					
Outages measured at the Agency level					
Any Networx service					
Any Domestic Networx service					

Table 2.3.2-8 Service Outage Restoration Times and Percentages.

The Networx Help Desk in the Customer Support Office (CSO), available 24X7,

Figure 2.3.2-10 describes the operational flow of this function. The Time To Repair (TTR) is defined as the service restoration time as measured from the outage recorded

This TTR is reduced accordingly by any scheduled configuration or maintenance outage, any agreed to outage by the Government, or any Government caused delay.





Figure 2.3.2-10: Networx Help Desk Trouble Ticket Management. GSA customers leverage commercial best practices in managing Networx customer trouble tickets.

GSA customers can generate and track all trouble tickets electronically in through AT&T **Business**Direct. Updates are provided as a function of the severity of the problem. **Table 2.3.2-9** defines the response notifications.

SEVERITY	DESCRIPTION		RESPONSE (TROUBLE TICKET UPDATE)
1	A critical problem stops a Networx provided service or circuit from functioning. The network or application is unusable.		
2	Major problem has a severe impact on a customer's business, but not its functioning. The network or application is degraded and the		





SEVERITY	DESCRIPTION customer is partially unable to work productively.	RESPONSE (TROUBLE TICKET UPDATE)
3	Minor problem with limited impact on a customer's business.	
4	No problem – a customer's business is not impacted; there is no significant impact to the user. Incident may be a request for service information or a suggestion.	

Table 2.3.2-9: AT&T response notifications. As service faults are entered into the trouble ticketing system, notifications are handled as described in section C.3.4.2 Trouble and Complaint Handling.

The escalation process for notification consists of a set of Tiers (levels).

CSO

Problems must be resolved in the minimum timeframes shown in Table 2.3.2-10. If not then the problem is escalated as in Table 2.3.2-10.

Table 2.3.2-10 is also followed for Government driven escalations. Status to appropriate personnel within the Government will be provided in the same timeframes as the escalation progresses.

ESCALATION LEVEL	REPORTING CRITERIA	REPORTING FREQUENCY	AUTHORITY

Table 2.3.2-10: Contractor Driven and Government Driven Trouble Ticket escalation procedures. Networx customers are assured of appropriate attention due to rapid escalation notifications through the AT&T organization.

The contractor shall resolve each service outage for any Networx service within 8 hours for restoration requiring dispatching of personnel except for non-domestic SDPs. (3.3.1.2.4)

AT&T will resolve each service outage for any Networx service	
for restoration requiring dispatching of personnel	





Performance Management [L.34.2.3.2, C.3.3.1.2.5 Step 5]

Tho		
1110		

provides the PMO and GSA Customers with an identical set of service





performance reports as commercial customers receive. These are available through AT&T **Business**Direct. Agency performance reports are available to those individuals with access permission from the specific Agency. They include SLA, usage, availability, Quality of Service, and real-time performance exception reports. Metrics are collected across all key





performance indicators (KPI) including
Any credits associated with service performance not meeting Networx requirements are established by information.
The platform is integrated into the network service, element management system (EMS), and operational support system (OSS) layers. At the network service layer there is integration with the access network, the core network, and the Internet.
Figure 2.3.2-11





Figure 2.3.2-11 PMOSS Architecture. GSA Customers receive electronic performance reports across their KPIs.

Network Services Monitoring and Management [L.34.2.3.2, C.3.3.1.2.6 Step 6]

The contractor shall provide a Network Services Monitoring and Management capability to provide real-time information regarding the health of the contractor's network as it applies specifically to the services the Agency has selected for this option. [C.3.3.1.2.6]

The contractor shall provide a Network Services Monitoring and Management capability to provide real time informational updates of the status of problem resolution efforts within the contractor's Trouble Management System as it applies specifically to the services for which the Agency has selected this option. [C.3.3.1.2.6] The contractor shall provide additional hardware, software, and other means of access as determined by the contractor to provide this capability. [C.3.3.1.2.6]

AT&T will provide a Network Services Monitoring and Management capability to provide real-time information and informational updates regarding the health of the AT&T network and the status of any associated problem resolution efforts within AT&T's Trouble Management System as they apply specifically to the services the Agency has selection for this option. Service-specific real-time fault notification, traffic-reporting, and SLA reporting capabilities are defined in **Table 2.3.2-11**. Service independent traffic and





SLA reporting mean that the traffic and SLA information is collected
independent of the service, but applies to the service (many services operate
on common facilities).


AT&T BusinessDirect presents the





Agencies with the network services monitoring and management functionality for the services in Table 2.3.2-11

Table 2.3.2-11. The capabilities defined in **Table 2.3.2-11** are available through two separate applications accessible via AT&T **Business**Direct. Real time notifications are provided via the **Business**Direct Map (BD Map) application.





SOLICITATION TQC-JTB-05-0002





Table 2.3.2-11: Service-Specific Reports Available.





Real time informational service updates (fault notification, traffic, and SLA reporting) and the status of problem resolution efforts are communicated to GSA Customers through This includes KPIs for each service the Agency has selected (**Figure 2.3.2-11**). GSA Customers are able to perform their own KPI measurement if desired Access to Agency real-time informational service updates is only available to those individuals with appropriate access permission from the specific Agency.

GSA Customers will have access to the eMaintenance application within the **Business**Direct web portal. This application includes real time informational updates of the status of problem resolution efforts within our Trouble Management System as it applies specifically to the services the Agency has selected for this option.

AT&T **Business**Direct is a worldwide-web accessible portal provided to authorized Government users and is Internet accessible requiring no additional hardware or software.



SOLICITATION TQC-JTB-05-0002



Network Management Capabilities and Methodologies [L.34.2.3.2]

For all services proposed, the offeror shall describe its network management organization, resources, strategies, practices, policies, processes, procedures, tools, systems, reports and any other relevant capabilities to provide the Government with a high degree of confidence that the offeror has sound, effective, and adequate capabilities that meet Government network management requirements.

For the network management areas above, the offeror shall describe its network management capabilities to provide the Government a high degree of confidence that the offeror will be a strong partner that understands the challenges that the Government faces in:

(a) Managing the wide range of Networx services, (b) Meeting the needs of a large, heterogeneous, and geographically distributed user community, (c) Ensuring the performance and quality of Networx services, (d) Improving the quality of Networx services to its customers, (e) Minimizing the impact of Networx services changes to Government operations, (f) Planning for future growth, (g) Meeting changes in Government needs, (h) Ensuring real-time access to information regarding the health and performance of mission-critical services

For Network Services Monitoring and Management, the offeror shall describe the solution's architecture, features, and functions that will be provided to the Government. This includes security features, support to the Government to install, configure, administer, and operate the solution, and the Networx services for which the solution is provided.

Laboratory facilities with the
systems engineering organizations maintain OSS (GFP,
capability and functionality when demanded.
providers are constantly evaluated to enhance network management
As a benefit to the Government new management tools and technology





latest network and computing equipment, as well as other resources such as technical libraries, membership in professional organizations, and attending conferences are available to the OSS research and development team. This team applies industry best practices to evaluate, prototype, and test proposed technology enhancements as shown in **Table 2.3.2-12**.


Life-Cycle maintenance and support for the network management platform is provided by OSS Research & Development. These organizations provide the following technical support functions:

	j
•	





Table 2.3.2-12 presents network management capabilities and methodologies. **Table 2.3.2-13** describes why AT&T provides a high degree of confidence maintaining we are a strong partner for GSA.







SOLICITATION TQC-JTB-05-0002

Table 2.3.2-12: Overarching Network Management Capabilities and Methodologies. Today, AT&T manages the wide range of Networx services across a large and diverse marketplace and has the capabilities to meet Government network management requirements.




Table 2.3.2-13: Strong Partner for GSA. Here we describe the capabilities of AT&T's solution and how we will meet the challenges the Government faces.

Security features were discussed in the Networx Security Management (C.3.3.1.2.1) above. AT&T will provide support to GSA Agencies directly through the CPO and CSO to install, configure, operate, maintain, and administer the network management solution for Networx services.

If the Offeror's approach to meeting Network Management requirements is different for optional services than for mandatory services, the offeror shall describe the differences in a separate optional services sub-section within the Network Management section of the Offeror's response.

AT&T's approach to meeting GSA's network management requirements for optional services is identical to its approach for GSA's network management requirements for mandatory services.





Summary

GSA customers have access to future services and business practices because of substantial annual R&D investments in the telecommunications technology environment. Our dedicated integration, development, life-cycle support, and operations support teams have the primary goal of enabling GSA Customers to focus their resources on accomplishing their missions more effectively and efficiently. **Table 2.3.2-14** summarizes the features of our solution and the benefits to GSA.





SOLICITATION TQC-JTB-05-0002



FEATURES	BENEFITS
	AT&T Labs
	GSA customers have access to future services,
	practices, and solutions they need as their requirements change.
	. This gives GSA
	customers regular predictable upgrades to maintain technological currency and minimizes impact to Government operations.
	This improves
	operational efficiency, and minimizes impact to Agency missions.

Table 2.3.2-14: Features & Benefits. The AT&T network solution provides GSA customers with conspicuous lifecycle and service management value.

Gartner

AT&T is the only Network Service Provider (NSP) to be listed in the "Leader Quadrant" in all four of the Network Service Provider Magic Quadrants covering Europe, Asia Pacific, and the U.S.

Gartner Group 2004