



TC1

*Subscriber
Base*

Tactical Communications Equipment and Services

Contract: No. HSSS01-12-D-0004

Solicitation: No. HSSS01-11-R-1001

Period of Performance: March 26, 2012 through March 25, 2017

TC1

Subscriber Base



DESCRIPTION	MANUFACTURER	PART NUMBER	MODEL NUMBER	TECHNICAL SPECIFICATION
MOBILE RADIOS				
VHF Mobile Standard High Power Configuration	TAIT	TM9155R-B1A52	TM9155R-B1A52	Standard Control Head Std Mic P25 P25 CAI Hi Sens
	HARRIS	XM-100F-S01	XM-100F-S01	VHF Mobile Standard High XG-100M
		MAHG-SHHXA	MAHG-SHHXA	VHF Mobile Standard High M7100
	ICOM	F9511HT 01	F9511HT	136-174 MHz, 110W P25 trunking mobile with keypad (includes HM-148G microphone, OPC-726 separation cable, mounting bracket kit, microphone hanger, DC power cable & owners manual)
MOTOROLA	M20KTS9PW1 N,G806,G48	M20KTS9PW1 N,G806,G48	VHF Mobile Standard High	
VHF Mobile Standard Medium Power Configuration	TAIT	TM9155H-B1A33	TM9155H-B1A33	136 -174MHz, 30/35/40/50W, Inc. CAI
	HARRIS	MAMW-SHMXX	MAMW-SHMXX	VHF Mobile Standard Medium M7300
		MAHG-SHMXA	MAHG-SHMXA	VHF Mobile Standard Medium M7100
	ICOM	F9511S 01	F9511S	136-174 MHz, 50W P25 Trunking mobile, no keypad (includes HM-148G microphone, mounting bracket kit, microphone hanger, DC power cable & owners manual)
MOTOROLA	M20KSS9PW1 N,G806,G48	M20KSS9PW1 N,G806,G48	VHF Mobile Standard Medium Power Configuration	
UHF Mobile Standard High Power Configuration	MOTOROLA	M20QTS9PW1 N,G806,G48	M20QTS9PW1 N,G806,G48	UHF Mobile Standard High Power Configuration
UHF Mobile Standard Medium Power Configuration	TAIT	TM9155H-H5A33	TM9155H-H5A33	400 - 470MHz, 30.35/40/50W, Inc. CAI
	HARRIS	XM-100F-S02	XM-100F-S02	UHF Mobile Standard XG-100M
		MAMW-SUMXX	MAMW-SUMXX	UHF Mobile Standard Medium M7300
		MAHG-SNMXA	MAHG-SNMXA	UHF Mobile Standard Medium M7100
	ICOM	F9521S 01	F9521S	400-470 MHz, 50W P25 Trunking mobile, no keypad (includes HM-148G microphone, mounting bracket kit, microphone hanger, DC power cable & owners manual)
MOTOROLA	M20QSS9PW1 N.G806,G48	M20QSS9PW1 N.G806,G48	UHF Mobile Standard Medium Power Configuration	
700 / 800 Mobile Standard High Power Configuration	MOTOROLA	M20URS9PW1 N,G806,G48	M20URS9PW1 N,G806,G48	700 / 800 Mobile Standard High Power Configuration
700 / 800 Mobile Standard Medium Power Configuration	TAIT	TH9155H-K5A33	TH9155H-K5A33	762 - 870MHz, 30/35/40/50W, Inc. CAI
	HARRIS	MAMV-FDLXX	MAMV-FDLXX	700/800 Dual Band Mobile Standard Medium M7200
	MOTOROLA	M20URS9PW1 N,G806,G48	M20URS9PW1 N,G806,G48	700 / 800 Mobile Standard Medium Power Configuration
800 Mobile Standard High Power Configuration	HARRIS	MAMW-SDMXX	MAMW-SDMXX	700/800 Mobile Standard Medium M7300
		MAHK-S8MEX	MAHK-S8MEX	900 only Mobile Standard Medium M5300
900 Mobile Standard Medium Power Configuration	HARRIS	MAHK-S9MEX	MAHK-S9MEX	VHF/700/800 Triple Band Mobile Standard
Dual Band Mobile High Power Configuration	MOTOROLA	M30TXS9PW1 N,GA00307,GA00344, GA00579,G806	M30TXS9PW1 N,GA00307,GA00344, GA00579,G806	Dual Band Mobile High Power Configuration
Dual Band Mobile Medium Power Configuration	MOTOROLA	M30TSS9PW1 N,GA00307,GA00344, GA00579,G806	M30TSS9PW1 N,GA00307,GA00344, GA00579,G806	Dual Band Mobile Medium Power Configuration
Triple Band Mobile Medium Power Configuration	HARRIS	XM-100F-S01	XM-100F-S01	VHF Mobile Standard High XG-100M

TC1

Subscriber Base



DESCRIPTION	MANUFACTURER	PART NUMBER	MODEL NUMBER	TECHNICAL SPECIFICATION
Options List				
Full Feature Control Head	TAIT	TMAC41-1T	TMAC41-1T	TM99155 Graphical Control Head FSTN LCD
Full Feature Control Head	HARRIS	XMCP9H and XMZN6W	XMCP9H and XMZN6W	Full Feature Control Head VHF Mobile Standard High XG-100M
Full Feature Control Head	HARRIS	MAMW-NCP9H and MAMW-NMC7Z	MAMW-NCP9H and MAMW-NMC7Z	Full Feature Control Head VHF Mobile Standard Medium M7300
Full Feature Control Head	MOTOROLA	G67 G442,G444 05 Control Head	G67 G442,G444 05 Control Head	Full Feature Control Head
Remote mount with full feature control	TAIT	TMAA11-17	TMAA11-17	Dual Head Upgrade kit, 2x6m cable, std Mic
Remote mount with full feature control	TAIT	TMAA11-19	TMAA11-19	Dual Head Upgrade kit, 2x12m cable, std Mic
Remote mount with full feature control	HARRIS	XMCP9F and XMZN7R	XMCP9F and XMZN7R	Remote Mount for XG-100M
Remote mount with full feature control	HARRIS	MAHG-CP7X, MAHG-MC7T, and MAHG-ZN5X	MAHG-CP7X, MAHG-MC7T, and MAHG-ZN5X	Remote mount with full feature control VHF Mobile Standard High M7100
Remote mount with full feature control	MOTOROLA	G67 G442,G444 05 Control Head	G67 G442,G444 05 Control Head	Remote mount with full feature control
Handheld controller/microphone * see Footnotes A & B	TAIT	TMAC70-1T	TMAC70-1T	Handhelp Controller/Microphone TM9155
Handheld controller/microphone * see Footnotes A & B	MOTOROLA	G67,G72,G444 03 Control Head	G67,G72,G444 03 Control Head	Handheld controller/microphone
Remote control with full feature control with siren and emergency lighting controls	MOTOROLA	G67,G72,G444 03 Control Head	G67,G72,G444 03 Control Head	Remote control with full feature control with siren and emergency lighting controls
Remote mount with handheld controller/microphone * see Footnotes A & B	TAIT	TMAC70-1T	TMAC70-1T	HH Control Head FSTN LCD 25Key
Remote mount with handheld controller/microphone * see Footnotes A & B	MOTOROLA	G67 G442,G444 05 Control Head	G67 G442,G444 05 Control Head	Remote mount with handheld controller/microphone
Hands Free Microphone Kit	TAIT	TMAA10-05	TMAA10-05	Handsfree Kit. Does not include a Footswitch
Hands Free Microphone Kit	MOTOROLA	W872, G235	W872, G235	Hands Free Microphone Kit
Dual Control Head Operation package	TAIT	TMAC44-0T	TMAC44-0T	Second Control Head Package
Dual Control Head Operation package	HARRIS	XMZN7D and XMMC7Z	XMZN7D and XMMC7Z	Control Unit, 2-6, CH-721 System with Installation
Dual Control Head Operation package	MOTOROLA	GA00092, G442,	GA00092, G442,	Dual Control Head Operation package
Siren / PA system interface package	MOTOROLA	W269	W269	Siren / PA system interface package
External Emergency button package	MOTOROLA	W688	W688	External Emergency button package
External Data Support package	HARRIS	XMCL8T	XMCL8T	Cable, Serial Data, 20 FT
External Data Support package	MOTOROLA	W947, G319, G309	W947, G319, G309	External Data Support package
Extended length remote cable (Limo)	TAIT	TMAA03-08	TMAA03-08	Enhanced Remote Kit
Extended length remote cable (Limo)	HARRIS	MAMW-ZN9D	MAMW-ZN9D	Cable Assembly, CAN, 90 FT Straight-Right
Extended length remote cable (Limo)	MOTOROLA	G582	G582	Extended length remote cable (Limo)
Option for Motorcycle weather resistant installation package	MOTOROLA	G442,G444,G138,B18,W15,G67BA	G442,G444,G138,B18,W15,G67BA	Option for Motorcycle weather resistant installation package
Hands-free microphone kit	MOTOROLA	W872, G235	W872, G235	Hands-free microphone kit
Hands-free microphone kit	TAIT	TMAA10-05	TMAA10-05	Hands-free microphone kit, does not include a Footswitch

TC1

Subscriber Base



DESCRIPTION	MANUFACTURER	PART NUMBER	MODEL NUMBER	TECHNICAL SPECIFICATION
PORTABLE RADIO SPECIFICATIONS				
VHF Portable Standard	TAIT	TP9155-B1X02	TP9155-B1X02	136-174MHz, Inc. Common Air Interface, Battery Charger, Antenna, 240 mAh Battery & Belt clip
	ICOM	F9011S 05 RC	F9011	136-174 MHz P25 trunking portable, display & no keypad (includes radio, antenna, BP-254 battery, belt clip and owners manual)
	HARRIS	XP-100F-S01	XP-100F-S01	Portable, XG-100P, 136-174 MHz, Unencrypted Immiscible
		HT7170TH1A	HT7170TH1A	Portable, 256B-AES, P7170, 136-174 MHz, System
		MAHM-LHTXX	MAHM-LHTXX	Portable, P5130, P25 Trunk, 136-174 MHz, Select, Unencrypted
MOTOROLA	H18KEH9PW7 N, Q806, H35	H18KEH9PW7 N, Q806, H35	VHF Portable Standard	
UHF Portable Standard	TAIT	TP9155-H5X01	TP9155-H5X01	400 - 470MHz, Inc. Common Air Interface, Battery Charger, Antenna, 240 mAh Battery & Belt clip
	ICOM	F9021S 45 RC	F9021	400-470 MHz P25 trunking portable, display & no keypad (includes radio, antenna, BP-254 battery, belt clip and owners manual)
	HARRIS	XP-100F-S02	XP-100F-S02	UHF Portable Standard XG-100P
		HT7170TH1A	HT7170TH1A	UHF Portable P7100
		MAEV-SUHXX	MAEV-SUHXX	UHF High Portable P7300
MOTOROLA	H18QDH9PW7 N, Q806, H35	H18QDH9PW7 N, Q806, H35	UHF Portable Standard	
700 Portable Standard	TAIT	TP9155-K5X01	TP9155-K5X01	762 - 870MHz, Inc. Common Air Interface, Battery Charger, Antenna, 240 mAh Battery & Belt clip
	MOTOROLA	H18UCH9PW7 N, Q806, H35	H18UCH9PW7 N, Q806, H35	700 Portable Standard
800 Portable Standard	TAIT	TP9155-K5X01	TP9155-K5X01	762 - 870MHz, Inc. Common Air Interface, Battery Charger, Antenna, 240 mAh Battery & Belt clip
	HARRIS	HT7170T81A	HT7170T81A	800 only Portable Standard P7100
		MAHM-L8TXX	MAHM-L8TXX	800 Portable Standard P5100
	MOTOROLA	H18UCH9PW7 N, Q806, H35	H18UCH9PW7 N, Q806, H35	800 Portable Standard
700/800 Dual Band Portable Standard	HARRIS	XP-100F-S03	XP-100F-S03	700/800 Dual Band Portable Standard
		MAEV-S7HXX	MAEV-S7HXX	700/800 Dual Band Portable Standard 7300
		mapt-c7hxx	mapt-c7hxx	700/800 Dual Band Portable Standard 7200
		MAHM-B7SXX	MAHM-B7SXX	700/800 Dual Band Portable Standard 5200
Dual Band Portable Standard	HARRIS	XP-100F-S01	XP-100F-S01	VHF, UHF Dual Band Portable Standard XG-100P
	MOTOROLA	H97TGD9PW1 N, QA00579, Q806	H97TGD9PW1 N, QA00579, Q806	Dual Band Portable Standard
900 Portable Standard	HARRIS	MAEX-S91DX	MAEX-S91DX	900 Portable Standard P5300
VHF/700/800 Triple Band Portable Standard	HARRIS	XP-100F-S02	XP-100F-S02	VHF/700/800 Triple Band Portable Standard
		XP-100F-S03	XP-100F-S03	UHF/700/800 Triple Band Portable Standard
VHF/UHF/700/800 Quad Band Portable Standard	HARRIS	XP-100F	XP-100F	VHF/UHF/700/800 Quad Band Portable Standard XG-100P

TC1

Subscriber Base



DESCRIPTION	MANUFACTURER	PART NUMBER	MODEL NUMBER	TECHNICAL SPECIFICATION
Control station				
VHF Control station Remote control IP	MOTOROLA	L20KSS9PW1 ,G806,G48,G81,L791,F2380,FHN7469,TDN1112,FHN7394,RMN5068A,FHN7470,CDN6281,CDN6284,F7979,FHN7469,FKN8690,FKN8691,FVN5847,FKN8695	L20KSS9PW1 N,G806,G48,G81,L791,F2380,FHN7469,TDN1112,FHN7394,RMN5068A,FHN7470,CDN6281,CDN6284,F7979,FHN7469,FKN8690,FKN8691,FVN5847,FKN8695	VHF Control station Remote control IP
VHF Control Station Tone Remote Control	MOTOROLA	L20KSS9PW1 N,G806,G48,G80,L146L3217 DDN6339	L20KSS9PW1 N,G806,G48,G80,L146L3217 DDN6339	VHF Control station Tone remote control
VHF Control station Digital Remote control	MOTOROLA	L20KSS9PW1 N,G806,G48,G81,L791,L3223,L3208,DDN6333	L20KSS9PW1 N,G806,G48,G81,L791,L3223,L3208,DDN6333	VHF Control station Digital Remote control
VHF Control station Non-remote Consollette configuration	MOTOROLA	L20KSS9PW1 N,G806,G48,G80,L791	L20KSS9PW1 N,G806,G48,G80,L791	VHF Control station Non-remote Consollette configuration
UHF Control station Remote control IP	MOTOROLA	L20QSS9PW1 N,G806,G48,G81,L791,F2380,FHN7469,TDN1112,FHN7394,RMN5068A,FHN7470,CDN6281,CDN6284,F7979,FHN7469,FKN8690,FKN8691,FVN5847,FKN8695	L20QSS9PW1 N,G806,G48,G81,L791,F2380,FHN7469,TDN1112,FHN7394,RMN5068A,FHN7470,CDN6281,CDN6284,F7979,FHN7469,FKN8690,FKN8691,FVN5847,FKN8695	UHF Control station Remote control IP
UHF Control station Tone remote control	MOTOROLA	L20QSS9PW1 N,G806,G48,G80,L146L3217 DDN6339	L20QSS9PW1 N,G806,G48,G80,L146L3217 DDN6339	UHF Control station Tone remote control
UHF Control station Digital Remote control	MOTOROLA	L20QSS9PW1 N,G806,G48,G81,L791,L3223,L3208,DDN6333	L20QSS9PW1 N,G806,G48,G81,L791,L3223,L3208,DDN6333	UHF Control station Digital Remote control
UHF Control station Non-remote Consollette configuration	MOTOROLA	L20QSS9PW1 N,G806,G48,G80,L791	L20QSS9PW1 N,G806,G48,G80,L791	UHF Control station Non-remote Consollette configuration
700/800 Control station Remote control IP	MOTOROLA	L20URS9PW1 N,G806,G48,G81,L791,F2380,FHN7469,TDN1112,FHN7394,RMN5068A,FHN7470,CDN6281,CDN6284,F7979,FHN7469,FKN8690,FKN8691,FVN5847,FKN8695	L20URS9PW1 N,G806,G48,G81,L791,F2380,FHN7469,TDN1112,FHN7394,RMN5068A,FHN7470,CDN6281,CDN6284,F7979,FHN7469,FKN8690,FKN8691,FVN5847,FKN8695	700/800 Control station Remote control IP
	HARRIS	ID-431-24-66H	ID-431-24-66H	
700/800 Control station Tone remote control	MOTOROLA	L20URS9PW1 N,G806,G48,G80,L146L3217 DDN6339	L20URS9PW1 N,G806,G48,G80,L146L3217 DDN6339	700/800 Control station Tone remote control
700/800 Control station Digital Remote control	MOTOROLA	L20URS9PW1 N,G806,G48,G81,L791,L3223,L3208,DDN6333	L20URS9PW1 N,G806,G48,G81,L791,L3223,L3208,DDN6333	700/800 Control station Digital Remote control
700/800 Control station Non-remote Consollette configuration	HARRIS	MAMW-SDMXX	MAMW-SDMXX	MOBILE, M7300, 764-870 MHz, Half Duplex, Unencrypted
	MOTOROLA	L20URS9PW1 N,G806,G48,G80,L791	L20URS9PW1 N,G806,G48,G80,L791	700/800 Control station Non-remote Consollette configuration

TC1

Subscriber Base



DESCRIPTION	MANUFACTURER	PART NUMBER	MODEL NUMBER	TECHNICAL SPECIFICATION
Options List				
Rack Mount	MOTOROLA	TRN7466	TRN7466	Rack Mount
	HARRIS	MAMW-NMA6P	MAMW-NMA6P	BRACKET KIT, RACK MOUNT, CS7000 For use with M7300
Linear Power Amp	MOTOROLA	N/A	N/A	N/A
Paddle Microphone	MOTOROLA	RMN5070	RMN5070	Paddle Microphone
SCIF connectivity package	MOTOROLA	RRDN7372	RRDN7372	SCIF connectivity package
Headset	N/A	N/A	N/A	N/A
Key Loader				
Key Loader IP based	TAIT	PDA P25 Std Keyfill Device	PDA P25 Std Keyfill Device	PDA P25 Std Keyfill Device
	HARRIS	TQS3416	TQS3416	PROVOICE™, EDACS®, and P25IP Key Manager
	MOTOROLA	T7537,U239,X795,CA01598AA,DSPS6U1UPE	T7537,U239,X795,CA01598AA,DSPS6U1UPE	Key Loader IP based
Key Loader Multi code	MOTOROLA	T7537,U239,X795,CA01598AA	T7537,U239,X795,CA01598AA	Key Loader Multi code
Key Loader KMF connect capable (direct/Dial in)	HARRIS	TQS3416	TQS3416	KMF connect capable (direct/Dial in)
	MOTOROLA	T7537,U239,X795,CA01598AA,DSUSR5637	T7537,U239,X795,CA01598AA,DSUSR5637	Key Loader KMF connect capable (direct/Dial in)
Key Loader OFB/AES	HARRIS	TQS3416	TQS3416	OFB/AES
	MOTOROLA	T7537,U239,X795,CA01598AA,CA00182AP,X423AF	T7537,U239,X795,CA01598AA,CA00182AP,X423AF	Key Loader OFB/AES
Key Loader Backward compatible DES XL	MOTOROLA	T7537,U239,X795,CA01598AA,CA00182AP,X423AF	T7537,U239,X795,CA01598AA,CA00182AP,X423AF	Key Loader Backward compatible DES XL
Options List				
Programmable script capability	MOTOROLA	INCLUDED	INCLUDED	INCLUDED
Tactical OTAR	MOTOROLA	INCLUDED	INCLUDED	INCLUDED
Store and forward	MOTOROLA	INCLUDED	INCLUDED	INCLUDED
Battery adapter for multiple subscriber batteries	MOTOROLA	INCLUDED	INCLUDED	INCLUDED
Multiple adapter cables for subscribers and infrastructure (Vendor agnostic)	TAIT	TPA-SV-920(1)		XTS or XTL Adaptor
	MOTOROLA	C543,C724,C725,C954,CA01603AA	C543,C724,C725,C954,CA01603AA	Multiple adapter cables for subscribers and infrastructure (Vendor agnostic)
Password protection	MOTOROLA	INCLUDED	INCLUDED	INCLUDED

TC1

Subscriber Base



DESCRIPTION	MANUFACTURER	PART NUMBER	MODEL NUMBER	TECHNICAL SPECIFICATION
RADIO BATTERY SPECIFICATIONS				
<i>Motorola Compatible:</i>				
Battery, Neocell® Li-Polymer , 3000 mAh	Global Technology Systems, Inc.	H7038-LiP	H7038-LiP	Battery, Neocell® Li-Polymer , 3000 mAh for Motorola APX 6000/7000
Battery, NiMH, 4000 mAh for Motorola XTS 3000/5000	Global Technology Systems, Inc.	H8299-M(40)	H8299-M(40)	Battery, NiMH, 4000 mAh for Motorola XTS 3000/5000
Battery, NiMH, 4000 mAh for Motorola XTS 3000/5000 [Intrinsically Safe]	Global Technology Systems, Inc.	HIS8299-M(40)	HIS8299-M(40)	Battery, NiMH, 4000 mAh for Motorola XTS 3000/5000
Battery, Li-Ion, 4000 mAh for Motorola XTS 3000/5000	Global Technology Systems, Inc.	H8610-LI(40)	H8610-LI(40)	Battery, Li-Ion, 4000 mAh for Motorola XTS 3000/5000
Battery, Neocell® Li-Polymer, 4100 mAh for Motorola XTS 3000/5000	Global Technology Systems, Inc.	H8610-LIP(41)	H8610-LIP(41)	Battery, Neocell® Li-Polymer, 4100 mAh for Motorola XTS 3000/5000
Charger, AC/DC 12V, 18 bay, multi-chemistry, tactical case for Motorola XTS3000/5000	Global Technology Systems, Inc.	EOCC-XTS-12V	EOCC-XTS-12V	Charger, AC/DC 12V, 18 bay, multi-chemistry, tactical case for Motorola XTS3000/5000
Charger, AC/DC 24V, 18 bay, multi-chemistry, tactical case for Motorola XTS3000/5000	Global Technology Systems, Inc.	EOCC-XTS-24V	EOCC-XTS-24V	Charger, AC/DC 24V, 18 bay, multi-chemistry, tactical case for Motorola XTS3000/5000
Charger AC [Universal], Single bay, multi-chemistry for Motorola XTS1500/2500/3000/5000, APX6000/7000, HT1000/1250, HT750, and MTS2000	Global Technology Systems, Inc.	HCH-APX1-CHG	HCH-APX1-CHG	Charger AC [Universal], Single bay, multi-chemistry for Motorola XTS1500/2500/3000/5000, APX6000/7000, HT1000/1250, HT750, and MTS2000
Charger AC [Universal], Six bay, multi-chemistry, for Motorola XTS1500/2500/3000/5000, APX6000/7000, HT1000/1250, HT750, and MTS2000	Global Technology Systems, Inc.	HCH-APX6-CHG	HCH-APX6-CHG	Charger AC [Universal], Six bay, multi-chemistry, for Motorola XTS1500/2500/3000/5000, APX6000/7000, HT1000/1250, HT750, and MTS2000
Charger, AC/DC Single bay, multi-chemistry for Motorola XTS 3000/5000	Global Technology Systems, Inc.	PATRIOT 1	PATRIOT 1	Charger, AC/DC Single bay, multi-chemistry for Motorola XTS 3000/5000
Charger, AC Six bay, multi-chemistry for Motorola XTS3000/5000	Global Technology Systems, Inc.	PATRIOT 6	PATRIOT 6	Charger, AC Six bay, multi-chemistry for Motorola XTS3000/5000
Charger, DC vehicle for Motorola XTS3000/5000	Global Technology Systems, Inc.	PATRIOTDC	PATRIOTDC	Charger, DC vehicle for Motorola XTS3000/5000
Keyloader adapter for Motorola KVL3000/3000+	Global Technology Systems, Inc.	HKVL30-ADP	HKVL30-ADP	Keyloader adapter for Motorola KVL3000/3000+



TC1

Subscriber Base

DESCRIPTION	MANUFACTURER	PART NUMBER	MODEL NUMBER	TECHNICAL SPECIFICATION
RADIO BATTERY SPECIFICATIONS				
<i>Harris Compatible:</i>				
Battery, Neocell® Li-Polymer, 4600 mAh	Global Technology Systems, Inc.	HMA2104-LiP	HMA2104-LiP	Battery, Neocell® Li-Polymer, 4600 mAh, for Harris P7100/P7200
Battery, NiMH, 2700 mAh for Harris P7100/P7200	Global Technology Systems, Inc.	HMA2104-M	HMA2104-M	Battery, NiMH, 2700 mAh for Harris P7100/P7200
Battery, Neocell® Li-Polymer, 3600 mAh for Harris P5300/P5400/P7300 and XG-75	Global Technology Systems, Inc.	HNPA9-LiP	HNPA9-LiP	Battery, Neocell® Li-Polymer, 3600 mAh for Harris P5300/P5400/P7300 and XG-75
Charger, AC/DC 12V, 18 bay, multi-chemistry, tactical case for Harris P7100/P7200	Global Technology Systems, Inc.	EOCC-P7100-24V	EOCC-P7100-24V	Charger, AC/DC 12V, 18 bay, multi-chemistry, tactical case for Harris P7100/P7200
Charger, AC/DC 24V, 18 bay, multi-chemistry, tactical case for Harris P7100/P7200	Global Technology Systems, Inc.	EOCC-P7100-24V	EOCC-P7100-24V	Charger, AC/DC 24V, 18 bay, multi-chemistry, tactical case for Harris P7100/P7200
Charger, AC Single bay, multi-chemistry for Harris P7100/P7200	Global Technology Systems, Inc.	HCH-P7101-CHG	HCH-P7101-CHG	Charger, AC Single bay, multi-chemistry for Harris P7100/P7200
Charger, DC vehicle for Harris P7100/P7200	Global Technology Systems, Inc.	HCH-P7101DCC-CHG	HCH-P7101DCC-CHG	Charger, DC vehicle for Harris P7100/P7200
Charger, AC Four bay, multi-chemistry for Harris P7100/P7200	Global Technology Systems, Inc.	HCH-P7104-CHG	HCH-P7104-CHG	Charger, AC Four bay, multi-chemistry for Harris P7100/P7200
Charger, AC Six bay, multi-chemistry for Harris P7100/P7200	Global Technology Systems, Inc.	HCH-P7106-CHG	HCH-P7106-CHG	Charger, AC Six bay, multi-chemistry for Harris P7100/P7200
<i>Thales Compatible:</i>				
Battery, Li-Ion, 2300 mAh for Thales 25 Series radios	Global Technology Systems, Inc.	H1600464-LI	H1600464-LI	Battery, Li-Ion, 2300 mAh for Thales 25 Series radios